

AUTHOR INDEX

Albersheim, P. 359, 373
Ammon, H.L. 11
Anderson, R.J. 177
Arisz, P.W. 99
Asano, N. 71

Barili, P.L. 165
Batelaan, J.G. 259
Bazus, A. 323
Bednar, B. 115
Bertucci, C. 1
Betbeder, D. 407
Bock, K. 273
Boon, J.J. 99
Brade, H. 273
Brillouet, J.-M. 333

Catelani, G. 165
Chapelle, S. 293
Chiavacci, C. 1
Christian, R. 273
Crawley, S.C. 139

Darvill, A.G. 359, 373
De Waard, P. 379
Doco, T. 333
Dona, A.-M. 293

El Ashry, E.S.H. 399

Fabre, J. 407
Fabrizi, G. 165, 217
Fernandez, L.E. 191
Fontaine, T. 323
Fournet, B. 323
Fujihara, M. 211

Gaset, A. 323
Golding, B.T. 177

Hamid, H.A. 399
Hennessey, Jr., J.P. 115
Hindsgaul, O. 139

Hofinger, A. 273
Hughes, N.A. 177

Ito, Y. 43, C1

Jain, R.K. 385

Kabat, E.A. 345
Kanie, O. 139
Kenne, L. 131
Khan, S.H. 29
Knirel, Y.A. 199, 205
Kochetkov, N.K. 205
Kojima, K. 79
Kono, Y. 71
Kosma, P. 273
Krishna, P.R. 393
Kuyama, H. C1

Lamba, D. 165, 217
Lammers, H. 259
Leefflang, B.R. 379
Lerouge, P. 359, 373
Liao, J. 345
Lindberg, B. 131
Lomax, J.A. 99

Manna, S. 11
Marquina, G. 191
Matheson, N.K. 307
Matsuhira, B. 217
Matsui, K. 71
Matta, K.L. 29, 385
McAnalley, B.H. 11
Meyer, B. 225
Monsan, P. 407
Mosihuzzaman, M. 131

Nagumo, T. 211
Nakahara, Y. C1, C1
Nakano, T. 43
Nickerson, K.G. 345
Nukada, T. C1

Ogawa, T. 43, C1
Ogihara, Y. 79
O'Neill, M.A. 359, 373
Orsini, F. 183

Palcic, M.M. 139
Paramonov, N.A. 199, 205
Paul, F. 407
Pelizzoni, F. 183
Perez, R.M. 191
Perie, J. 407
Peters, J.A. 259
Piskorz, C.F. 385
Praznik, W. 91

Rahman, M.M. 131
Rashed, N. 399
Rigal, L. 323

Salvadori, P. 1
Sauvage, J.-P. 293
Segre, A.L. 217
Sharma, G.V.M. 393
Shashkov, A.S. 199, 205

Solyanic, L.P. 199
Spies, T. 91

Takeda, S. 71
Takeda, T. 79
Timmermans, J.W. 379
Tournois, H. 379

Uccello-Barretta, G. 1

Valiente, O. 191
Van Bekkum, H. 259
Van Haveren, J. 259
Verchère, J.-F. 293
Veremeychenko, S.N. 205
Vliegthart, J.F.G. 379

Wieruszeski, J.-M. 323

Yakovleva, L.M. 199
Yun, S.-H. 307

Zakharova, I.Y. 205
Zdorovenko, G.M. 199, 205
Zsiška, M. 225

SUBJECT INDEX

- N*-Acetylglucosaminyltransferase-V: Critical role of the 4"-hydroxyl group in β -D-Glc pNAc-(1 \rightarrow 2)- α -D-Man p-Glc p-OR, acceptor-substrate recognition by, 139
- N*-Acetylglucosaminyltransferase-V (GnT-V), synthesis of potential inhibitors of, 29
- N*-Acetylglucosamine-linked oligosaccharides, synthesis from phenyl 3,6,2',3',4',6'-2-deoxy-2-phthalimido-1-thio- β -lactopyranoside of, 385
- Acyclic forms of aldoses using molybdate complex formation in aqueous solution, 293
- Acylation of butyl α -D-glucopyranoside, regio-specific enzymic, 407
- Agar-type sulfated galactan of the red seaweed *Laurencia gemmifera*, partial methanolysis of the, 191
- Alginate, influence of the structure of on the chemotactic activity of macrophages and on antitumor activity, 211
- Amylopectins of waxy, normal, amylose-extender, and wx:ae genotypes and of the phytylglucan of maize, structures of the, 307
- O-Antigen polysaccharide, structural studies of the *Vibrio mimicus* W-26768, 131
- α -L-Arabinosidase and endo- α -L-arabinases for use in the structural analysis of pectic polysaccharides, the purification of commercially available, 373
- 2-Azidoethyl α -glycosides, a practical synthesis using 2-pyridyl 1-thioglycosides, 393
- Bis(polyhydroxyalkyl)amines and their *N*-carboxymethyl derivatives, formation of borate esters and sequestration of metal ions studied by ^{11}B and ^{13}C NMR spectroscopy, 259
- tert*-Butoxycarbonylmethylzinc bromide, synthesis of *C*-glycosyl compounds by the reaction of acetylated glycals with, 183
- Butyl α -D-glucopyranoside, regiospecific enzymic acylation of, 407
- Capsular polysaccharide preparations from *Streptococcus pneumoniae*, molecular size analysis, 115
- N*-Carboxymethyl derivatives of bis(polyhydroxyalkyl)amines, formation of borate esters and sequestration of metal ions studied by ^{11}B and ^{13}C NMR spectroscopy, 259
- Cell-adhesion molecules, neural, carbohydrate epitopes of; synthesis of sulfated glucuronyl glycosphingolipids, 43
- Celluloses with high degrees of molar substitution, a critical evaluation of the structure of *O*-(2-hydroxyethyl)-, 99
- Chemotactic activity of macrophages, influence of the structure of alginate on, and on anti-tumor activity, 211
- Chitosan dodecamer, stereocontrolled synthesis of, C1
- Chondroitin sulfate related disaccharides, influence of sulfate and carboxylate groups on the conformation of, 225
- Cobaloximes, synthesis and a trifluoroacetic acid-induced fragmentation of some sugar, 177
- Conformation of chondroitin sulfate related disaccharides, influence of sulfate and carboxylate groups on the, 225
- Cyclomaltoheptaose (β -cyclodextrin), stereochemistry and dynamics of the inclusion complex of (*S*)-(+)-fenoprofen with, 1
- Disaccharides, influence of sulfate and carboxylate groups on the conformation of chondroitin sulfate related, 225
- Dodecamer, chitosan, stereocontrolled synthesis of, C1
- Endo- α -L-arabinases and α -L-arabinosidase for use in the structural analysis of pectic polysaccharides, the purification of commercially available, 373

- Endo-glycanase-generated oligoglycosyl side chains of rhamnogalacturonan I, structural characterization of, 359
- Enzymic acylation of butyl α -D-glucopyranoside, regiospecific, 407
- Fragmentation of some sugar cobaloximes, synthesis and a trifluoroacetic acid-induced, 177
- Fructo-oligosaccharides from *Urginea maritima*, 91
- Fucopyranoside, methyl α -L-, structural analysis by X-ray crystallography, NMR spectroscopy, and molecular mechanics calculations, 217
- Galactan of the red seaweed, *Laurencia gemmifera*, partial methanolysis of the agar-type sulfated, 191
- α -Galactosyl epitopes on partially hydrolyzed blood group B substance, a monoclonal IgM κ from a blood group B individual with specificity for, 345
- Glucuronoxylan isolated from sunflower hulls, structural studies of the main, 323
- α -Glycosides, a practical synthesis of 2-azidoethyl, using 2-pyridyl 1-thioglycosides, 393
- Glycosphingolipids, synthesis of sulfated glucuronyl: Carbohydrate epitopes of neural cell-adhesion molecules, 43
- C-Glycosyl compounds, synthesis by the reaction of acetylated glycals with *tert*-butoxycarbonylmethylzinc bromide, 183
- Hemicelluloses from sunflower hulls, isolation and characterization of, 323
- Heptopyranosyl residues, synthesis and NMR spectroscopic investigation of oligosaccharides containing Kdo and L-glycero-D-manno-, 273
- O-(2-Hydroxyethyl) celluloses with high degrees of molar substitution, a critical evaluation of the structure of, 99
- Inclusion complex of (S)-(+)-fenoprofen with cyclomaltoheptaose (β -cyclodextrin), stereochemistry and dynamics of the, 1
- Isolation and characterisation of a rhamnogalacturonan II from red wine, 333
- Isopropylidenation of L-threo- and D-erythro-tri-hydroxybutylquinoxalines. A novel approach to the synthesis of furo[2,3-b]-quinoxalines, 399
- Isopropylidene- α - and - β -D-galactopyranosides, structure elucidation by NMR and X-ray analysis of methyl 3,4-O-, 165
- Kdo and L-glycero-D-manno-heptopyranosyl residues, synthesis and NMR spectroscopic investigation of oligosaccharides containing, 273
- Linked oligosaccharides, synthesis from phenyl 3,6,2',3',4',6'-hexa-O-acetyl-2-deoxy-2-phthalimido-1-thio- β -lactopyranoside of, [β -D-Gal p-(1 \rightarrow 4)- β -D-Glc pNAc]-, 385
- Maize, structure of the amylopectins of waxy, normal, amylose-extender, and wx:ae genotypes and of the phytylglycogen of, 307
- β -D-Mannopyranose, 2,3,4-tri-O-acetyl-1,6-anhydro-, an artifact produced during carbohydrate analysis. A total synthesis of 2,3,5-tri-O-acetyl-1,6-anhydro- β -D-mannofuranose, 11
- Methyl α -L-fucopyranoside, structural analysis by X-ray crystallography, NMR spectroscopy, and molecular mechanics calculations, 217
- Methyl 3,4-O-isopropylidene- α - and - β -D-galactopyranosides, structure elucidation by NMR and X-ray analysis, 165
- Molybdate complexes of aldoses and their application to the determination of the proportion of acyclic forms in aqueous solution, 293
- Monoclonal IgM κ from a blood group B individual with specificity for α -galactosyl epitopes on partially hydrolyzed blood group B substance, 345
- Nephritogenoside and related compounds, synthesis of, 79
- 4-Nitrophenyl O-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-(1 \rightarrow 2)-O-(6-O-methyl- α -D-mannopyranosyl)-(1 \rightarrow 6)- β -D-glucopyranoside and its 4;6'-di-O-methyl analog, synthesis, 29
- ¹³C NMR spectroscopy of acyclic molybdate complexes of aldoses, 293
- NMR and X-ray analysis, structure elucidation of methyl 3,4-O-isopropylidene- α - and - β -D-galactopyranosides by, 165
- NMR spectroscopy of nystose, 379
- Nystose, NMR spectroscopy of, 379
- Oligosaccharides containing Kdo and L-glycero-D-manno-heptopyranosyl residues, synthesis and NMR spectroscopic investigation, 273
- Oligosaccharides from *Urginea maritima*, fructose, 91
- Partial methanolysis of the agar-type sulfated galactan of the red seaweed *Laurencia gemmifera*, 191
- Pectic polysaccharides, the purification of com-

- mercially available endo- α -L-arabinases and α -L-arabinosidase for use in the structural analysis of, 373
- Phenyl 3,6,2',3',4',6'-hexa-O-acetyl-2-deoxy-2-phthalimido-1-thio- β -lactopyranoside, synthesis of N-acetyllactosamine-linked oligosaccharides from, 385
- Polysaccharide, structural studies of the *Vibrio mimicus* W-26768 O-antigen, 131
- Pseudomonas fluorescens* biovar strain A IMV 1152, structure of the O-specific polysaccharide of, 205
- Pseudomonas syringae* pv. *tomato* 140(R), structure of the O-specific polysaccharide of, 199
- Quinoxalines, furo[2,3-*b*], a novel approach to the synthesis of. Isopropylidenation of L-threo- and D-erythro-trihydroxybutylquinoxalines, 399
- Red wine, isolation and characterisation of a rhamnogalacturonan II from, 333
- Rhamnogalacturonan I, structural characterization of endo-glycanase-generated oligoglycosyl side chains of, 359
- Rhamnogalacturonan II, isolation and characterisation from red wine, 333
- Sequestration of metal ions by bis(polyhydroxyalkyl)amines and their N-carboxymethyl derivatives, formation of borate esters and, studied by ^{11}B and ^{13}C NMR spectroscopy, 259
- Somatic antigens of pseudomonads: structure of the O-specific polysaccharide of *Pseudomonas fluorescens* biovar A strain IMV 1152, 205
- Somatic antigens of pseudomonads: structure of the O-specific polysaccharide of *Pseudomonas syringae* pv. *tomato* 140(R), 199
- Spectrum of nystose, complete assignment of the ^1H NMR, 379
- Starches of mature maize seeds, structures of the amylopectins isolated from the normal and amylose-extender, 307
- Stereochemistry and dynamics of the inclusion complex of (S)-(+)-fenoprofen with cyclomaltoheptaose (β -cyclodextrin), 1
- Streptococcus pneumoniae*, molecular size analysis of capsular polysaccharide preparations from, 115
- Structural analysis of methyl α -L-fucopyranoside by X-ray crystallography, NMR spectroscopy, and molecular mechanics calculations, 217
- Sugar cobaloximes, synthesis and a trifluoroacetic acid-induced fragmentation, 177
- Sunflower hulls, isolation and characterisation of hemicelluloses from, 323
- Synthesis, stereocontrolled, of chitosan dodecamer, C1
- 1-Thioglycosides, a practical synthesis of 2-azidoethyl α -glycosides using 2-pyridyl, 393
- Urginea maritima* (red squill), fructo-oligosaccharides from, 91
- Vibrio mimicus* W-26768 O-antigen polysaccharide, structural studies, 131

